

Message

From: Richardson, William [Richardson.William@epa.gov]
Sent: 11/8/2022 1:03:01 PM
To: Mack Jamie [Jamie.Mack@doe.k12.de.us]; Hanes, James [james.hanes@delaware.gov]
CC: Crumlish, Karen [Crumlish.Karen@epa.gov]
Subject: RE: [External] RE: Follow-Up

Thank you, both. I sent a Teams link for tomorrow.



Bill Richardson (he/him)
Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov



From: Mack Jamie <Jamie.Mack@doe.k12.de.us>
Sent: Monday, November 7, 2022 1:49 PM
To: Hanes, James <james.hanes@delaware.gov>; Richardson, William <Richardson.William@epa.gov>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>
Subject: RE: [External] RE: Follow-Up

How about Wednesday at 11:30?

Jamie



Jamie Mack
Education Associate, Capital Projects
401 Federal Street | Dover, DE 19901
(302) 857-3364
[Delaware Department of Education](#)

From: Hanes, James (DHSS) <James.Hanes@delaware.gov>
Sent: Monday, November 7, 2022 1:34 PM
To: Richardson, William <Richardson.William@epa.gov>; Mack Jamie <Jamie.Mack@doe.k12.de.us>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>
Subject: RE: [External] RE: Follow-Up

Bill,

I am available Wednesday after 11 am.

Thanks,
James Hanes, MHP
Environmental Scientist IV
Environmental Hazards & Toxicology
Health Systems Protection

Office: (302) 744-4824
james.hanes@delaware.gov

Confidentiality Notice: This electronic message and any attachment(s) are confidential and may be subject to the attorney/client privilege and/or work product immunity. This e-mail is only for the use of the intended recipient(s). If you have received this e-mail in error, please notify the sender immediately by replying to this e-mail, then delete this message and any attachment(s) from your system. Any unintended transmission expressly shall not waive the attorney/client privilege or any other privilege.

From: Richardson, William <Richardson.William@epa.gov>
Sent: Monday, November 7, 2022 1:07 PM
To: Mack, Jamie (K12) <jamie.mack@doe.k12.de.us>; Hanes, James (DHSS) <James.Hanes@delaware.gov>
Cc: Crumlish, Karen <Crumlish.Karen@epa.gov>
Subject: RE: [External] RE: Follow-Up

Jamie and James,
I got approval from my Division Director, Cathy Libertz, to attend the public meeting scheduled for 11/14. Are you available Wednesday to check in on the meeting logistics and messaging? I can make anytime work when you two are free.



Bill Richardson (he/him)
Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov



From: Mack Jamie <Jamie.Mack@doe.k12.de.us>
Sent: Thursday, November 3, 2022 5:32 PM
To: Richardson, William <Richardson.William@epa.gov>; Hanes, James <james.hanes@delaware.gov>
Subject: Re: [External] RE: Follow-Up

Thanks Bill. Let us know if you need anything else.

Sent from my Verizon, Samsung Galaxy smartphone
Get [Outlook for Android](#)

From: Richardson, William <Richardson.William@epa.gov>
Sent: Thursday, November 3, 2022 5:02:18 PM
To: Mack Jamie <Jamie.Mack@doe.k12.de.us>; Hanes, James <james.hanes@delaware.gov>
Subject: RE: [External] RE: Follow-Up

Jamie and James,
I can give you a tentative commitment for the 11/14 meeting now and I will try to get you definite answer by Monday. I agree that a discussion before the meeting will be very beneficial.



Bill Richardson (he/him)

Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov



From: Mack Jamie <Jamie.Mack@doe.k12.de.us>

Sent: Thursday, November 3, 2022 1:05 PM

To: Richardson, William <Richardson.William@epa.gov>; Hanes, James <james.hanes@delaware.gov>

Subject: RE: [External] RE: Follow-Up

I think we're looking for confirmation of EPA's support for Delaware as we move forward and maybe some info on whether we should have paused sampling as other areas did, confirmation that our trigger value of 15 was based on the MCL, etc. Happy to discuss if needed and if EPA can participate, I think we should connect before the meeting to discuss.

Let me know if that helps.

Jamie



Jamie Mack

Education Associate, Capital Projects
401 Federal Street | Dover, DE 19901
(302) 857-3364
delaware.gov/education

From: Richardson, William <Richardson.William@epa.gov>

Sent: Thursday, November 3, 2022 9:23 AM

To: Hanes, James <james.hanes@delaware.gov>; Mack Jamie <Jamie.Mack@doe.k12.de.us>

Subject: [External] RE: Follow-Up

| |
|---|
| <p>WARNING: External Email - This email originated outside of the State email system. DO NOT CLICK links or attachments unless you recognize the sender and <i>are expecting</i> the email.</p> |
|---|

Thanks. Do you have a preferred level of EPA participation (who from EPA) for the 11/14 meeting?
Also, I believed you mentioned yesterday that the meeting will focus solely on lead in drinking water at schools?



Bill Richardson (he/him)

Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov



From: Hanes, James (DHSS) <James.Hanes@delaware.gov>
Sent: Thursday, November 3, 2022 9:01 AM
To: Richardson, William <Richardson.William@epa.gov>; Mack, Jamie (K12) <jamie.mack@doe.k12.de.us>
Subject: RE: Follow-Up

Bill,

It is on Nov 14 at 7:30 – 9:00 PM the elected official is Sarah McBride - Sarah.McBride@delaware.gov

James Hanes, MHP
Environmental Scientist IV
Environmental Hazards & Toxicology
Health Systems Protection

Office: (302) 744-4824
james.hanes@delaware.gov

Confidentiality Notice: This electronic message and any attachment(s) are confidential and may be subject to the attorney/client privilege and/or work product immunity. This e-mail is only for the use of the intended recipient(s). If you have received this e-mail in error, please notify the sender immediately by replying to this e-mail, then delete this message and any attachment(s) from your system. Any unintended transmission expressly shall not waive the attorney/client privilege or any other privilege.

From: Richardson, William <Richardson.William@epa.gov>
Sent: Thursday, November 3, 2022 8:50 AM
To: Mack, Jamie (K12) <jamie.mack@doe.k12.de.us>
Cc: Hanes, James (DHSS) <James.Hanes@delaware.gov>
Subject: RE: Follow-Up

Jamie,

Your and James' willingness to work with us moving forward is appreciated. Do you have time/location and other details (like names of elected official) for the forum on the 14th? I can let EPA R3 management know of the request and let you know.



Bill Richardson (he/him)

Chief, Drinking Water Section
US EPA Region 3 – Mid Atlantic
Phone 215-814-5675
Email richardson.william@epa.gov



From: Mack Jamie <Jamie.Mack@doe.k12.de.us>
Sent: Thursday, November 3, 2022 8:17 AM
To: Richardson, William <Richardson.William@epa.gov>
Cc: Hanes, James <james.hanes@delaware.gov>
Subject: Follow-Up

Bill—

Thanks for the discussion yesterday. At the end of the meeting we were discussing the upcoming virtual forum and the potential for an EPA presence. We appreciate the support that EPA is offering in moving the sampling program forward, so if there is an opportunity to demonstrate our collaboration at the forum on the 14th we would welcome EPA's participation.

Let me know if you have any thoughts or would like to discuss.

Thanks

Jamie



Jamie Mack
Education Associate, Capital Projects
401 Federal Street | Dover, DE 19901
(302) 857-3364
[Delaware Department of Education](#)